



Adaptiv Mini Fitting & User Guide

ADVM-AU1 - Audi

A3 (Typ 8V) 2013> A4 (Typ B9) 2015>, Q2 2017>

5.8" or 7" Display. Vehicles with OEM AUX Input only

WWW.ADAPTIV-MULTIMEDIA.COM

Adaptiv Mini

Adaptiv Mini allows HDMI & Camera input to the OEM screen.



HDMI INPUT



**FRONT & REAR
CAMERA**

This plug and play Mini interface adds HDMI to connect your Apple or Android device, allowing you to mirror your smartphone display on the vehicle's original screen. Inputs for front and rear aftermarket cameras also come as standard with the Mini.

Application

Audi A3 (Typ 8V) 2013>, A4 (Typ B9) 2015>, Q2 2017>
5.8" or 7" Display. Vehicles with OEM AUX Input only.

Kit Includes

Adaptiv Interface
Vehicle Harness


Prior to installation

Read the manual prior to installation. Technical knowledge is necessary for installation. The place of installation must be free of moisture and away from heat sources. Connects2 cannot be held responsible for the installation of this product.


Technical Support

Connects2 want to provide a fast and suitable resolution should you encounter any technical issues. With this in mind, when contacting Connects2, try to provide as much Information as possible. This will speed up the process and help us to help you.


Please use our dedicated online technical support centre: support.connects2.com




DIP SWITCH SETTINGS




DIP 1
If the vehicle has OEM reverse camera
(ON: YES OFF: NO)



DIP 3
If the vehicle has after-market reverse camera (ON: YES OFF: NO)



DIP 2
If the vehicle has after-market front camera (ON: YES OFF:NO)




DIP 4
A3 5.8" - ON | 7" - OFF
A4/Q2 5.8" - ON | 7" - OFF
DIP 5
A3 5.8" - OFF | 7" - OFF
A4/Q2 5.8" - ON | 7" - ON

Button Configuration



HDMI Access

Select Aux In from the OEM source menu.
 Hold **MENU** Button for 2 seconds to switch between OEM screen and Adaptiv Mini HDMI screen




Video In Motion Warning - 10 MPH

Hold **BACK** Button to disable the video in motion warning message

Rear and Front Camera Access

From either HDMI mode or OEM mode

1. Select reverse gear for reverse camera
2. Deselect reverse gear - will go to after market front camera (if DIP 2 ON)
 To cancel front camera drive over 10 MPH or hold **BACK** Button for 2 seconds



Front Camera Access

Hold **BACK** Button for 2 seconds to enter the front camera screen (if DIP 2 is ON)
 Press **BACK** Button to exit front camera

View Version Number

Hold **MENU** Button for 8 seconds to enter firmware information screen