

ZDSKI1













2x ZX1TC

2x ZX65C

2x Isuzu Adapter

2x Tweeter Filter

2x Midbass Filter


2x Tweeter Brackets




Installation Tools Required

Vehicle used for installation:* Isuzu D-Max 2019 -> (RG01)

*Some differences may occur between different car and year models.











1x PH2 Screwdriver

1x Tin Snip

1. Pull up the tweeter panel




3. Disconnect the tweeter connector





4. Cut the tweeter mounting plate





Tools required:




5. Place the plate on the tweeter



7. Connect the speaker connector



6. Lock the plate by turning it




8. Screw the tweeter into place (PH2)




Tools required:




9. Put back the tweeter panel



11. Door panel removal







12. Remove the door handle panel




Tools required:

1x PH2 Screwdriver

1x Plastic Pry Tool

13. Remove the armrest




15. Remove the window switch panel



14. Unscrew the screw



16. Remove the connectors



Tools required: Image: state of the state of

17. Unscrew the screw



19. Unscrew the screw



18. Unscrew and remove window panel



20. Remove the door panel




Tools required:



21. Remove door opener cables



23. Unscrew the OEM speaker



22. Set the door panel aside



24. Screw the speaker adapter




Tools required:




25. Connect the speaker connector



27. Screw the speaker into the adapter





28. Reassemble the door in reverse order





On Behalf of the Phoenix Gold team, Thank you for choosing us!

Your installation is complete and we hope that your new upgraded system will bring you joy and happiness for many years to come when listening to your favorite music. As always, our goal is bringing you The Gold Standard in Sound.



www.phoenixgold-eu.com