V1. 05/18



# ...connecting to the aftermarket CTSVX001.2 Vauxhall/Opel, Chevrolet, Suzuki, Holden Steering Wheel Control Interface





#### **Vehicle Application**

998 - 2004	Chevrolet Astra	1998 - 2011
000 - 2004	Chevrolet Urban	1998 - 2011
003 - 2005	Chevrolet Viva	1998 - 2011
000 - 2003	Chevrolet Corsa Classic	2002 - 2010
98 2004	Chevrolet Celta	2002 - 2010
799 - 2005	Chevrolet Vectra	2005 - 2011
002 - 2006	Suzuki Fun	2002 - 2010
004 - 2009	Holden Barina	2000 - 2005
000 - 2004		
	000 - 2004 003 - 2005 000 - 2003 978 2004 979 - 2005 002 - 2006 004 - 2009	000 - 2004Chevrolet Urban003 - 2005Chevrolet Viva000 - 2003Chevrolet Corsa Classic028 2004Chevrolet Celta029 - 2005Chevrolet Vectra002 - 2006Suzuki Fun004 - 2009Holden Barina

#### **Key Features**

• Retains Steering Wheel Controls





The information provided in this document is subject to change without notice due to changes and/or improvements to the product/s.

# **ABOUT THIS PRODUCT**

## CTSVX001.2

Analogue Steering Wheel Control Interface for Vauxhall/Opel, Chevrolet, Suzuki and Holden vehicles with CAR200/300/400/CDR500/CCR600/CAR2003/2004/CCR2006/CDR2005 original stereo and 8 Way ISO connector

#### WIRING COLOUR CODES

Purple Purple/Black Green Green/Black Grey/Black White White/Black	Right Rear Speaker + Right Rear Speaker - Left Rear Speaker + Left Rear Speaker - Right Front Speaker + Right Front Speaker + Left Front Speaker -	Yellow Black Red	Permanent 12V Ground Ignition 12V
While/Black	Len From speaker -		

# PRIOR TO INSTALLATION

Read the manual prior to installation. Technical knowledge is necessary for installation. The place of installation must be free of moisture and away from heat sources. Please ensure that the correct tools are using during the installation to avoid damage to the vehicle or product. **Connects2 can not be held responsible for the installation of this product.** 

### **TECHNICAL SUPPORT**

Connects2 Ltd. want to provide a fast and suitable resolution to any problems encountered during installation of this product. To get in touch with our dedicated technical support team, please fill in a ticket at **support.connects2.com** and provide as much information as possible.



### FITTING GUIDE

1. Remove and disconnect the original head unit.

2. Connect the 12 way molex connector of the head unit patch lead (supplied separately) to the interface.





3. Connect the opposite end of head unit patch lead to the head unit steering wheel control input on the back of the aftermarket head unit.

NB: This may be a 3.5mm jack plug or a wire input depending upon the head unit brand being fitted. Please see the head unit installation manual for further information on where to connect.

Important: This step must be completed before connecting power to the interface. Failure to so do may result in no steering wheel control function.



4. Connect the 14 way molex connector to the interface





5. Connect the male power/speaker ISO harness to the female power/speaker ISO harness from the aftermarket head unit. For aftermarket head units without an ISO connector, please refer to "Wiring Colour Codes" on Pg. 2.



# www.connects2.com

### FITTING GUIDE

6. Connect the female vehicle specific connectors on the harness to the male vehicle connector from the vehicle. Test head unit for correct operation.

#### STEERING WHEEL CONTROL FUNCTIONALITY

Original	Button
+ Icon	

- Icon

Right Arrow

Left Arrow

Source

Function
Volume +
Volume -
Track +
Track -
Source

#### Example Steering Wheel Control Configuration

(Actual configuration may differ depending on vehicle model)



