



APF-X305DU8-OE

CAN to UART Interface with SWRC Support
for Fiat Ducato 8 (from MY 2022) with Factory Radio Installed

Vehicles



Supports interface & vehicle settings*



Supports SWRC & „Pre-Flight Check“ function



e.g. for vehicles with 5-inch / 7inch- / 10-inch original radio and / or 3.5-inch / 7-inch instrument cluster


¹ For vehicles with original radio only (5-inch, 7-inch display or 10-inch display).
* Necessary vehicle settings can be adjusted via the instrument cluster or via the Alpine radio.

Content


CAN to UART interface with SWRC support (incl. telephone button)

- CAN to analogous conversion for ACC, parking brake, speed pulse, reverse signal
- Retention of original vehicle settings*
- Alpine vehicle-specific connection harness with Fiat connector
- Interface settings & vehicle settings adjustable via radio
- SIRI and OK Google support
- Incl. antenna adapter with phantom power

For all Alpine Head Units with UART input connector: INE-F904D(C) / iLX-FxxxD / INE-W720D(C) / iLX-70xD




Recommended accessories: KIT-F9FI-DU8 / KIT-HALO-DU8S



APF-X305DU8-OE

CAN to UART Interface with SWRC Support
for Fiat Ducato 8 (from MY 2022) with Factory Radio Installed



Accessories

15-7132087

ACV: Active DAB+ Radio Signal Splitter



KAE-F2S

Antenna Adapter Fakra(m) → SMB(f)



771094-1031

ACV: Rear View Camera Interface



Features

FOR VEHICLES WITHOUT ORIGINAL DAB+

- Active splitter to separate FM and DAB+ signal
- Easy and fast installation utilizing the existing FM antenna cable
- Plug-and-play installation
- No additional DAB+ antenna necessary

Features

FOR VEHICLES WITH ORIGINAL DAB+

- DAB+ antenna adapter (50cm)
- Reuse of original DAB+ antenna (if available) on the Alpine Radio
- Antenna adapter Fakra(m) to SMB(f)
- For vehicles with factory installed DAB+

Features

FOR VEHICLES WITH ORIGINAL REVERSE CAM

- Rear view camera interface for Fiat Ducato 8 (from MY2021) with an OEM camera
- Required to retain original rear view camera (if available) on the Alpine radio
- For vehicles with factory-installed reverse camera

APF-X305DU8-OE


CAN to UART Interface with SWRC Support
for Fiat Ducato 8 (from MY 2022) with Factory Radio Installed



Accessories


KAE-F2GT5

Antenna Adapter Fakra(m) → GT5(f)



KAE-F2GT21

Antenna Adapter Fakra(m) → GT21(f)



KAE-GT521

Antenna Adapter GT5(f) → GT21(m)



Features

FOR VEHICLES WITH ORIGINAL GPS ANTENNA

- GPS antenna adapter (30cm)
- Reuse of original GPS antenna (if present) on the INE-F904D or INE-W720D
- Antenna adapter Fakra(m) to GT5(f)
- For vehicles with factory installed or retrofitted navigation antenna

Features

FOR VEHICLES WITH ORIGINAL GPS ANTENNA

- GPS antenna adapter (30cm)
- Reuse of original GPS antenna (if present) on the i905D-F, iLX-705D, iLX-F905D or iLX-F115D
- Antenna adapter Fakra(m) to GT21(f)
- For vehicles with factory installed or retrofitted navigation antenna

Features

FOR VEHICLES WITH ALPINE GPS ANTENNA

- GPS antenna adapter (20cm)
- Reuse of Alpine GPS antenna with GT5 plug (if present) on the iLX-705D, iLX-F905D or iLX-F115D
- Antenna adapter GT5(m) to GT21(f)
- For vehicles with GPS antenna (GT5 plug)

APF-X305DU8-OE

CAN to UART Interface with SWRC Support
for Fiat Ducato 8 (from MY 2022) with Factory Radio Installed



Connection

